

18	0	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) with ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:12
19	3	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:13
20	1	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:13
22	106	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:16
24	0	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base and (second adj portion)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:17
25	74	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base and portion and second	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:17
23	80	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:22
21	269	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:28
26	106	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:35
27	35	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and vehicle	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:35
28	139	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and vehicle	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:14
29	2	6318208.pn.	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:12
30	1	6318208.pn. and shaped	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:14
31	2	6318208.pn. and u	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:14
32	52	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and vehicle and (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:14
33	34	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and vehicle and (u-shaped) and ((seat) or (seated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 15:15

L Number	Hits	Search Text	DB	Time stamp
1	19564	pivot and sensor and lever	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:48
2	686	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:48
3	76	(pivot and sensor and lever) and ((bifurcated adj portion) or (bi-furcated adj portion))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:29
4	686	pivot and sensor and lever and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:54
5	82	pivot same sensor same lever and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:30
7	1	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:31
8	3	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same force	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:32
6	16	pivot same sensor same lever same ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:09
9	2	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and seat	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:36
10	9	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and occupant and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:15
11	269	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:55
12	17	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:59
13	13	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:59
14	2	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base and occupant	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:01
15	12	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base and second	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:01
16	7	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:04
17	11	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:11

L Number	Hits	Search Text	DB	Time stamp
1	19564	pivot and sensor and lever	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:28
2	686	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:39
3	76	(pivot and sensor and lever) and ((bifurcated adj portion) or (bi-furcated adj portion))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:29
4	686	pivot and sensor and lever and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:54
5	82	pivot same sensor same lever and ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:30
7	1	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:31
8	3	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same force	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:32
6	16	pivot same sensor same lever same ((bifurcated) or (bi-furcated))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:09
9	2	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and seat	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:36
10	9	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and occupant and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:15
11	269	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:55
12	17	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:59
13	13	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 13:59
14	2	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base and occupant	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:01
15	12	pivot and sensor and lever and ((bifurcated) or (bi-furcated)) and weight and seat and ((magnet) or (magnetic)) and base and second	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:01
16	7	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:04
17	11	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) and ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:11

18	0	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) with ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:12
19	3	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same ((u-shaped) or (shaped))	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:13
20	1	pivot same sensor same lever same ((bifurcated) or (bi-furcated)) same (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:13
21	269	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:16
22	106	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:16
23	80	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:16
24	0	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base and (second adj portion)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:17
25	74	(pivot and sensor and lever) and ((bifurcated) or (bi-furcated)) and weight and (u-shaped) and base and portion and second	USPAT; US-PGPUB; EPO; DERWENT	2004/10/05 14:17